

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

HPLC 中草藥對照標準品(HPLC 中藥標準品) - Reference Standard of Chinese Herbs							
No.	Chinese	Common Name	Purity % for HPLC	CAS	Empirical Formula	Molecular Weight (g/mol)	IUPAC
SA0001	乙酰烏頭鹼	3-Acetylaconitine	≥98%	77181-26-1	C ₃₆ H ₄₉ NO ₁₂	687.77	
SA0002	烏頭鹼	Aconitine	≥98%	302-27-2	C ₃₄ H ₄₇ NO ₁₁	645.74	(1 α ,3 α ,6 α ,14 α ,16 β)-8-(acetyloxy)-20-ethyl-3,13,15-trihydroxy-1,6,16-trimethoxy-4-(methoxymethyl)aconitan-14-yl benzoate
SA0003	麥角甾苷 (類葉升麻苷)	Acteoside	≥98%	61276-17-3	C ₂₉ H ₃₆ O ₁₅	624.59	[(2R,3R,4R,5R,6R)-6-[2-(3,4-dihydroxyphenyl)ethoxy]-5-hydroxy-2-(hydroxymethyl)-4-[(2S,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxyoxan-3-yl] (E)-3-(3,4-dihydroxyphenyl)prop-2-enoate
SA0004	土木香內酯	Alantolactone	≥98%	546-43-0	C ₁₅ H ₂₀ O ₂	232.32	(3aR,5S,8aR,9aR)-5,8a-dimethyl-3-methylidene-5,6,7,8,9,9a-hexahydro-3aH-benzo[f][1]benzofuran-2-one
SA0005	芍藥內酯苷	Albiflorin	≥98%	39011-90-0	C ₂₃ H ₂₈ O ₁₁	480.46	
SA0006	苦杏仁苷	Amygdalin	≥97%	29883-15-6	C ₂₀ H ₂₇ NO ₁₁	457.43	(2R)-2-phenyl-2-[(2R,3R,4S,5S,6R)-3,4,5-trihydroxy-6-[[[(2R,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxymethyl]oxan-2-yl]oxyacetone nitrile
SA0007	穿心蓮內酯	Andrographolide	≥98%	5508-58-7	C ₂₀ H ₃₀ O ₅	350.45	(3E,4S)-3-[2-[(1R,4aS,5R,6R,8aS)-6-hydroxy-5-(hydroxymethyl)-5,8a-dimethyl-2-methylidene-3,4,4a,6,7,8-hexahydro-1H-naphthalen-1-yl]ethylidene]-4-hydroxyoxolan-2-one
SA0008	知母皂苷B	Anemarsaponin B	≥95%	139051-27-7	C ₄₅ H ₇₄ O ₁₈	903.06	
SA0009	芹菜素	Apigenin	≥98%	520-36-5	C ₁₅ H ₁₀ O ₅	270.24	5,7-dihydroxy-2-(4-hydroxyphenyl)chromen-4-one
SA0010	馬兜鈴酸A	Aristolochic acid A	≥98%	313-67-7	C ₁₇ H ₁₁ NO ₇	341.27	8-methoxy-6-nitronaphtho[2,1-g][1,3]benzodioxole-5-carboxylic acid

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SA0011	馬兜鈴內酰胺	Aristololactam	≥98%	13395-02-3	C ₁₇ H ₁₁ NO ₄	293.27	
SA0012	青蒿素	Artemisinin	≥98%	63968-64-9	C ₁₅ H ₂₂ O ₅	282.33	(3R,5aS,6R,8aS,9R,12S,12aR)-octahydro-3,6,9-trimethyl-3,12-epoxy-12H-pyrano[4,3-j]-1,2-benzodioxepin-10(3H)-one
SA0013	秦皮甲素	Aseculin	≥98%	531-75-9	C ₁₅ H ₁₆ O ₉	340.28	7-hydroxy-6-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxochromen-2-one
SA0014	積雪草酸	Asiatic Acid	≥98%	464-92-6	C ₃₀ H ₄₈ O ₅	488.70	(1S,2R,4aS,6aR,6aS,6bR,8aR,9R,10R,11R,12aR,14bS)-10,11-dihydroxy-9-(hydroxymethyl)-1,2,6a,6b,9,12a-hexamethyl-2,3,4,5,6,6a,7,8,8a,10,11,12,13,14b-tetradecahydro-1H-picene-4a-carboxylic acid
SA0015	川續斷皂苷	Asperosaponin VI	≥98%	39524-08-8	C ₄₇ H ₇₆ O ₁₈	929.10	
SA0016	黃耆皂苷I	Astragaloside I	≥98%	84860-75-1	C ₄₅ H ₇₂ O ₁₆	869.04	
SA0017	黃耆皂苷II	Astragaloside II	≥98%	84676-89-1	C ₄₃ H ₇₀ O ₁₅	827.02	
SA0018	黃耆皂苷-III	Astragaloside III	≥98%	84687-42-3	C ₄₁ H ₆₈ O ₁₄	784.97	
SA0019	黃耆甲苷	Astragaloside IV	≥98%	84687-43-4	C ₄₁ H ₆₈ O ₁₄	784.97	
SA0020	積雪草苷	Asiaticoside	≥98%	16830-15-2	C ₄₈ H ₇₈ O ₁₉	959.12	[6-[[[3,4-dihydroxy-6-(hydroxymethyl)-5-(3,4,5-trihydroxy-6-methylloxan-2-yl)oxyoxan-2-yl]oxymethyl]-3,4,5-trihydroxyoxan-2-yl] 10,11-dihydroxy-9-(hydroxymethyl)-1,2,6a,6b,9,12a-hexamethyl-2,3,4,5,6,6a,7,8,8a,10,11,12,13,14b-tetradecahydro-1H-picene-4a-carboxylate
SA0021	白朮內酯 I	Atractylenolide I	≥98%	73069-13-3	C ₁₅ H ₁₈ O ₂	230.30	
SA0022	白朮內酯 II	Atractylenolide II	≥98%	73069-14-4	C ₁₅ H ₂₀ O ₂	232.32	(8aR)-3,8a-dimethyl-5-methylidene-4a,6,7,8,9a-hexahydro-4H-benzof[f][1]benzofuran-2-one

穩特國際有限公司
HPLC中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SA0023	白朮內酯Ⅲ	Atractylcnolide III	≥98%	73030-71-4	C ₁₅ H ₂₀ O ₃	248.32	(4aS,8aR,9aS)-9a-hydroxy-3,8a-dimethyl-5-methylidene-4,4a,6,7,8,9-hexahydrobenzo[f][1]benzofuran-2-one
SA0024	蒼朮素	Atractylodin	≥98%	55290-63-6	C ₁₅ H ₁₀ O	182.22	2-[(1E,7E)-nona-1,7-dien-3,5-diynyl]furan
SB0001	黃芩苷	Baicalin	>98%	21967-41-9	C ₂₁ H ₁₈ O ₁₁	446.36	(2S,3S,4S,5R,6S)-6-(5,6-dihydroxy-4-oxo-2-phenyl-chromen-7-yl)oxy -3,4,5-trihydroxy-tetrahydropyran-2-carboxylic acid
SB0002	黃芩素	Baicalein	≥98%	491-67-8	C ₁₅ H ₁₀ O ₅	270.24	5,6,7-trihydroxy-2-phenyl-chromen-4-one
SB0003	補骨脂酚	Bakuchiol	≥98%	10309-37-2	C ₁₈ H ₂₄ O	256.38	4-[(1E,3S)-3-ethenyl-3,7-dimethylocta-1,6-dienyl]phenol
SB0004	補骨脂甲素	Bavachin	≥98%	19879-32-4	C ₂₀ H ₂₀ O ₄	324.37	(2S)-7-hydroxy-2-(4-hydroxyphenyl)-6-(3-methylbut-2-enyl)-2,3-dihydrochromen-4-one
SB0005	苯甲酰芍藥苷	Benzoylpaeoniflorin	≥98%	38642-49-8	C ₃₀ H ₃₂ O ₁₂	584.57	
SB0006	蘆薈苷	Barbaloin	≥98%	1415-73-2	C ₂₁ H ₂₂ O ₉	418.39	(10R)-1,8-dihydroxy-3-(hydroxymethyl)-10-[(2S,3R,4R,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]-10H-anthracen-9-one
SB0007	白樺脂醇	Betulin	≥98%	473-98-3	C ₃₀ H ₅₀ O ₂	442.72	(1R,3aS,5aR,5bR,7aR,9S,11aR,11bR,13aR,13bR)-3a-(hydroxymethyl)-5a,5b,8,8,11a-pentamethyl-1-prop-1-en-2-yl-1,2,3,4,5,6,7,7a,9,10,11,11b,12,13,13a,13b-hexadecahydrocyclopenta[a]chrysen-9-ol
SB0008	白樺脂酸	Betulinic Acid	≥98%	472-15-1	C ₃₀ H ₄₈ O ₃	456.70	(1R,3aS,5aR,5bR,7aR,9S,11aR,11bR,13aR,13bR)-9-hydroxy-5a,5b,8,8,11a-pentamethyl-1-prop-1-en-2-yl-1,2,3,4,5,6,7,7a,9,10,11,11b,12,13,13a,13b-hexadecahydrocyclopenta[a]chrysen-3a-carboxylic acid
SB0009	白果內酯	Bilobalide	≥98%	33570-04-6	C ₁₅ H ₁₈ O ₈	326.30	(5aR- (3aS*,5aα,8b,8aS*,9a,10α))- 9-(1,1-dimethylethyl)- 10,10a-dihydro- 8,9-dihydroxy-4H,5aH,9H-furo[2,3-b]furo[3',2':2,3]cyclopenta[1,2-c]furan- 2,4,7(3H,8H)-trione
SB0010	α-乳香酸	Boswellic acid	≥98%	631-69-6	C ₃₀ H ₄₈ O ₃	456.70	(3R,4R,4aR,6aR,6bS,8aR,11R,12S,12aR,14aR,14bR)-3-hydroxy-4,6a,6b,8a,11,12,14b-heptamethyl-2,3,4a,5,6,7,8,9,10,11,12,12a,14,14a-tetradecahydro-1H-picene-4-carboxylic acid

穩特國際有限公司
HPLC中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SB0011	馬錢子鹼	Brucine	≥98%	57-24-9	C ₂₁ H ₂₂ N ₂ O ₂	334.41	2, 3- dimethoxystrychnidin- 10- one
SB0012	蒙花苷	Buddleoside	≥98%	480-36-4	C ₂₈ H ₃₂ O ₁₄	592.55	5-hydroxy-2-(4-methoxyphenyl)-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-[[[(2R,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxymethyl]oxan-2-yl]oxychromen-4-one
SC0001	咖啡酸	Caffeic acid	≥98%	331-39-5	C ₉ H ₈ O ₄	180.16	(E)-3-(3,4-dihydroxyphenyl)prop-2-enoic acid
SC0002	毛蕊異黃酮	Calycosin	≥98%	20575-57-9	C ₁₆ H ₁₂ O ₅	284.26	7-hydroxy-3-(3-hydroxy-4-methoxyphenyl)chromen-4-one
SC0003	毛蕊異黃酮苷	Calycosin - 7 - O - β- D - 葡萄糖苷	≥98%	20633-67-4			
SC0004	梓醇	Catalpol	≥98%	2415-24-9	C ₁₅ H ₂₂ O ₁₀	362.33	(1aS-(1aα,1bβ,2β,5aβ,6β,6aα-))1a,1b,2,5a,6,6a-hexahydro-6-hydroxy-1a-(hydroxymethyl)oxireno(4,5)cyclopenta(1,2-c)-pyran-2-yl-beta-D-glucopyranoside
SC0005	長春質鹼	Catharanthine	≥98%	2468-21-5	C ₂₁ H ₂₄ N ₂ O ₂	336.43	
SC0006	雷公藤紅素	Celastrol	≥98%	34157-83-0	C ₂₉ H ₃₈ O ₄	450.61	(2R,4aS,6aR,6aS,14aS,14bR)-10-hydroxy-2,4a,6a,6a,9,14a-hexamethyl-11-oxo-1,3,4,5,6,13,14,14b-octahydricene-2-carboxylic acid
SC0007	綠原酸	Chlorogenic Acid	≥98%	327-97-9	C ₁₆ H ₁₈ O ₉	354.31	(1S,3R,4R,5R)-3-[(E)-3-(3,4-dihydroxyphenyl)prop-2-enoyl]oxy-1,4,5-trihydroxycyclohexane-1-carboxylic acid
SC0008	白楊素	Chrysin	≥98%	480-40-0	C ₁₅ H ₁₀ O ₄	254.24	5,7-dihydroxy-2-phenylchromen-4-one
SC0009	大黃酚	Chrysophanol	≥98%	481-74-3	C ₁₅ H ₁₀ O ₄	254.24	1,8-dihydroxy-3-methylanthracene-9,10-dione
SC0010	菊苣酸	Cichoric Acid	≥98%	70831-56-0	C ₂₂ H ₁₈ O ₁₂	474.37	(2R,3R)-2,3-bis-[[[(E)-3-(3,4-dihydroxyphenyl)prop-2-enoyl]oxy]butanedioic acid

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SC0011	肉蓯蓉苷	Cistanoside A	≥98%	93236-42-1	C ₃₆ H ₄₈ O ₂₀	800.75	[(2R,3R,4R,5R,6R)-5-hydroxy-6-[2-(4-hydroxy-3-methoxyphenyl)ethoxy]-2-[[[(2R,3R,4S,5S,6S)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxymethyl]-4-[(2S,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxyoxan-3-yl]](E)-3-(3,4-dihydroxyphenyl)prop-2-enoate
SC0012	秋水仙鹼	Colchicine	≥98%	64-86-8	C ₂₂ H ₂₅ NO ₆	399.44	N- [(7S)- 1, 2, 3, 10- tetramethoxy- 9- oxo- 5, 6, 7, 9- tetrahydrobenzo [a] heptalen- 7- yl] acetamide
SC0013	鹽酸黃連鹼	Coptisine hydrochloride	≥95%	6020-18-4	C ₁₉ H ₁₄ ClNO ₄	355.77	
SC0014	科羅索酸	Corosolic Acid	≥98%	4547-24-4	C ₃₀ H ₄₈ O ₄	472.70	(1S,2R,4aS,6aR,6aS,6bR,10R,11R,12aR,14bR)-10,11-dihydroxy-1,2,6a,6b,9,9,12a-heptamethyl-2,3,4,5,6,6a,7,8,8a,10,11,12,13,14b-tetradecahydro-1H-picene-4a-carboxylic acid
SC0015	木香煙內酯	Costunolide	≥98%	553-21-9	C ₁₅ H ₂₀ O ₂	232.32	(3aS,6E,10E,11aR)-6,10-dimethyl-3-methylidene-3a,4,5,8,9,11a-hexahydrocyclodeca[b]furan-2-one
SC0016	野百合鹼	Crotaline	≥98%	315-22-0	C ₁₆ H ₂₃ NO ₆	325.40	
SC0017	隱綠原酸	Cryptochlorogenic acid	≥98%	905-99-7	C ₁₆ H ₁₈ O ₉	220.31	
SC0018	隱丹參酮	Cryptotanshinone	≥98%	35825-57-1	C ₁₉ H ₂₂ O ₃	298.38	(1R)-1,6,6-trimethyl-2,3a,7,8,9,11a-hexahydro-1H-naphtho[1,2-g][1]benzofuran-10,11-dione
SC0019	葫蘆素 B	Cucurbitacin B	≥98%	6199-67-3	C ₃₂ H ₄₆ O ₈	558.70	[(E,6R)-6-[(2S,8S,9R,10R,13R,14S,16R,17R)-2,16-dihydroxy-4,4,9,13,14-pentamethyl-3,11-dioxo-2,7,8,10,12,15,16,17-octahydro-1H-cyclopenta[a]phenanthren-17-yl]-6-hydroxy-2-methyl-5-oxohept-3-en-2-yl] acetate
SC0020	仙茅苷	Curculigoside	≥98%	85643-19-2	C ₂₂ H ₂₆ O ₁₁	466.44	[5-hydroxy-2-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyphenyl]methyl 2,6-dimethoxybenzoate
SC0021	薑黃素	Curcumin	≥98%	458-37-7	C ₂₁ H ₂₀ O ₆	368.38	(1E,6E)-1,7-bis(4-hydroxy-3-methoxyphenyl)hepta-1,6-diene-3,5-dione
SC0022	環黃耆醇	Cycloastragenol	≥98%	84605-18-5	C ₃₀ H ₅₀ O ₅	490.72	

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SC0023	α-香附酮	α-Cyperone	≥98%	473-08-5	C ₁₅ H ₂₂ O	218.33	(4aS,7R)-1,4a-dimethyl-7-prop-1-en-2-yl-3,4,5,6,7,8-hexahydronaphthalen-2-one
SD0001	大豆苷元	Daidzein	≥98%	486-66-8	C ₁₅ H ₁₀ O ₄	254.24	7-hydroxy-3-(4-hydroxyphenyl)chromen-4-one
SD0002	大豆苷	Daidzin	≥98%	552-66-9	C ₂₁ H ₂₀ O ₉	416.38	3-(4-hydroxyphenyl)-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxychromen-4-one
SD0003	丹參素	Danshensu	≥98%	76822-21-4	C ₉ H ₁₀ O ₅	198.17	2-(3,4-dihydroxyphenyl)-2-hydroxypropanoic acid
SD0004	瑞香素	Daphnetin	≥98%	486-35-1	C ₉ H ₆ O ₄	178.14	7,8-dihydroxychromen-2-one
SD0005	右旋荷包牡丹鹼	d-Bicuculine	≥98%	485-49-4	C ₂₀ H ₁₇ NO ₆	367.35	(6R)-6-[(5S)-6-methyl-7,8-dihydro-5H-[1,3]dioxolo[4,5-g]isoquinolin-5-yl]-6H-furo[3,4-g][1,3]benzodioxol-8-one
SD0006	去氫木香內酯	Dehydrocostus Lactone	≥98%	477-43-0	C ₁₅ H ₁₈ O ₂	230.30	(3aS,6aR,9aR,9bS)-3,6,9-trimethylidene-3a,4,5,6a,7,8,9a,9b-octahydroazuleno[4,5-b]furan-2-one
SD0007	1-脫氧野尻霉素	1-Deoxynojirimycin	≥98%	19130-96-2	C ₆ H ₁₃ NO ₄	163.17	(2R,3R,4R,5S)-2-(hydroxymethyl)piperidine-3,4,5-triol
SD0008	二氫楊梅素	Dihydromyricetin	≥98%	27200-12-0	C ₁₅ H ₁₂ O ₈	320.25	(2R,3R)-3,5,7-trihydroxy-2-(3,4,5-trihydroxyphenyl)-2,3-dihydrochromen-4-one
SD0009	二氫丹參酮	Dihydrotanshinone	≥98%	87205-99-0	C ₁₈ H ₁₄ O ₃	278.30	(1R)-1,6-dimethyl-1,2-dihydronaphtho[1,2-g][1]benzofuran-10,11-dione
SD0010	薯蕷皂苷	Dioscin	≥98%	19057-60-4	C ₄₅ H ₇₂ O ₁₆	869.04	
SD0018	薯蕷皂苷元	Diosgenin	≥98%	512-04-9	C ₂₇ H ₄₂ O ₃	414.62	(3β,25R)-spirost-5-en-3-ol

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SD0019	右旋四氫巴馬汀	d-Tetrahydropalmatine	≥98%	3520-14-7	C ₂₁ H ₂₅ NO ₄	355.42	
SD0020	五味子甲素	Deoxyschizandrin	≥98%	61281-38-7	C ₂₄ H ₃₂ O ₆	416.51	
SD0021	蛻皮甾酮	Ecdysterone	≥98%	19685-09-7	C ₂₇ H ₄₄ O ₇	480.63	(2S,3R,5R,9R,10R,13R,14S,17S)-2,3,14-trihydroxy-10,13-dimethyl-17-[(2R,3R)-2,3,6-trihydroxy-6-methylheptan-2-yl]-2,3,4,5,9,11,12,15,16,17-decahydro-1H-cyclopenta[a]phenanthren-6-one
SE0001	松果菊苷	Echinacoside	≥98%	82854-37-3	C ₃₅ H ₄₆ O ₂₀	786.73	[(2R,3R,4R,5R,6R)-6-[2-(3,4-dihydroxyphenyl)ethoxy]-5-hydroxy-2-[[[(2R,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxymethyl]-4-[(2S,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxyoxan-3-yl](E)-3-(3,4-dihydroxyphenyl)prop-2-enoate
SE0002	秦皮甲素	Esculin	≥98%	531-75-9	C ₁₅ H ₁₆ O ₉	340.28	7-hydroxy-6-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxychromen-2-one
SE0003	表沒食子兒茶素 沒食子酸酯	EGCG	≥98%	989-51-5	C ₂₂ H ₁₈ O ₁₁	458.37	[(2R,3R)-5,7-dihydroxy-2-(3,4,5-trihydroxyphenyl)chroman-3-yl]3,4,5-trihydroxybenzoate
SE0004	大黃素	Emodin	≥98%	518-82-1	C ₁₅ H ₁₀ O ₅	270.24	1,3,8-trihydroxy-6-methylantracene-9,10-dione
SE0005	淫羊藿定A	Epimedin A	≥98%	110623-72-8	C ₃₉ H ₅₀ O ₁₉	822.80	3-[(2S,3R,4S,5S,6R)-4,5-dihydroxy-6-(hydroxymethyl)-3-[(2S,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxyoxan-2-yl]oxy-2-(4-methoxyphenyl)-8-(3-methylbut-2-enyl)-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxychromen-4-one
SE0006	淫羊藿定B	Epimedin B	≥98%	110623-73-9	C ₃₈ H ₄₈ O ₁₉	808.78	3-[(2S,3R,4R,5R,6S)-4,5-dihydroxy-6-methyl-3-[(2S,3R,4S,5R)-3,4,5-trihydroxyoxan-2-yl]oxyoxan-2-yl]oxy-5-hydroxy-2-(4-methoxyphenyl)-8-(3-methylbut-2-enyl)-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxychromen-4-one
SE0007	淫羊藿定C	Epimedin C	≥98%	110642-44-9	C ₃₉ H ₅₀ O ₁₉	822.80	3-[(2S,3R,4R,5R,6S)-4,5-dihydroxy-6-methyl-3-[(2S,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxyoxan-2-yl]oxy-5-hydroxy-2-(4-methoxyphenyl)-8-(3-methylbut-2-enyl)-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxychromen-4-one
SE0008	秦皮乙素	Esculetin	>98%	305-01-1	C ₉ H ₆ O ₄	178.14	6,7-Dihydroxy-2-chromenone
SE0009	7-乙基-10- 羥基喜樹鹼	7-Ethyl-10- hydroxycamptothecin	>98%	86639-52-3	C ₂₂ H ₂₀ N ₂ O ₅	392.40	

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SE0010	7-乙基喜樹鹼	7-Ethylcamptothecin	≥98%	78287-27-1	C ₂₂ H ₂₀ N ₂ O ₄	376.41	
SE0011	吳茱萸鹼	Evodiamine	≥98%	518-17-2	C ₁₉ H ₁₇ N ₃ O	303.36	
SF0001	辛夷脂素	Fargesin	≥98%	31008-19-2	C ₂₁ H ₂₂ O ₆	370.40	5-[(3R,3aS,6S,6aS)-6-(3,4-dimethoxyphenyl)-1,3,3a,4,6,6a-hexahydrofuro[3,4-c]furan-3-yl]-1,3-benzodioxole
SF0002	阿魏酸	Ferulic Acid	≥98%	1135-24-6	C ₁₀ H ₁₀ O ₄	194.18	(E)-3-(4-hydroxy-3-methoxyphenyl)prop-2-enoic acid
SF0003	芒柄花素	Formononetin	≥98%	485-72-3	C ₁₆ H ₁₂ O ₄	268.26	7-hydroxy-3-(4-methoxyphenyl)chromen-4-one
SF0004	連翹酯苷 A	Forsythiaside	≥97%	79916-77-1	C ₂₉ H ₃₆ O ₁₅	624.59	[(2R,3S,4R,5R,6R)-6-[2-(3,4-dihydroxyphenyl)ethoxy]-4,5-dihydroxy-2-[[[(2R,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxymethyl]oxan-3-yl]](E)-3-(3,4-dihydroxyphenyl)prop-2-enoate
SF0005	連翹苷	Forsythin	≥98%	487-41-2	C ₂₇ H ₃₄ O ₁₁	534.55	(2S,3R,4S,5S,6R)-2-[4-[(3R,3aR,6S,6aR)-3-(3,4-dimethoxyphenyl)-1,3,3a,4,6,6a-hexahydrofuro[3,4-c]furan-6-yl]-2-methoxyphenoxy]-6-(hydroxymethyl)oxane-3,4,5-triol
SF0006	連翹酯苷 B	Forsythoside B	≥97%	81525-13-5	C ₃₄ H ₄₄ O ₁₉	756.70	[(2R,3R,4R,5R,6R)-2-[[[(2S,3S)-3,4-dihydroxy-4-(hydroxymethyl)oxolan-2-yl]oxymethyl]-6-[2-(3,4-dihydroxyphenyl)ethoxy]-5-hydroxy-4-[(2R,3S,4S,5S,6R)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxyoxan-3-yl]](E)-3-(3,4-dihydroxyphenyl)prop-2-enoate
SG0001	天麻素	Gastrodin	≥98%	62499-27-8	C ₂₅ H ₃₂ N ₂ O ₆	286.28	(2R,3S,4S,5R,6S)-2-(hydroxymethyl)-6-[4-(hydroxymethyl)phenoxy]oxane-3,4,5-triol
SG0002	梔子苷	Geniposide	≥98%	24512-63-8	C ₁₇ H ₂₄ O ₁₀	388.37	methyl(1S,4aS,7aS)-7-(hydroxymethyl)-1-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-1,4a,5,7a-tetrahydrocyclopenta[c]pyran-4-carboxylate
SG0003	京尼平苷酸	Geniposidic acid	≥98%	27741-01-1	C ₁₆ H ₂₂ O ₁₀	374.34	(1S,4aS,7aS)-7-(hydroxymethyl)-1-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-1,4a,5,7a-tetrahydrocyclopenta[c]pyran-4-carboxylic acid
SG0004	染料木素	Genistein	≥98%	446-72-0	C ₁₅ H ₁₀ O ₅	270.24	5,7-dihydroxy-3-(4-hydroxyphenyl)chromen-4-one

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SG0005	染料木苷	Genistin	≥98%	529-59-9	C ₂₁ H ₂₀ O ₁₀	432.38	5-hydroxy-3-(4-hydroxyphenyl)-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxychromen-4-one
SG0006	龍膽苦苷	Gentiopicroside	≥98%	20831-76-9	C ₁₆ H ₂₀ O ₉	356.32	(5R,6S)-5-ethenyl-6-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-5,6-dihydro-3H-pyran[3,4-e]pyran-1-one
SG0007	6-薑酚	6-Gingerol	≥98%	23513-14-6	C ₁₇ H ₂₆ O ₄	294.39	(5S)-5-hydroxy-1-(4-hydroxy-3-methoxyphenyl)decan-3-one
SG0008	6-薑烯酚	6-Shogaol	≥95%	555-66-8	C ₁₇ H ₂₄ O ₃	276.37	(E)-1-(4-hydroxy-3-methoxyphenyl)dec-4-en-3-one
SG0009	8-薑酚	8-Gingerol	≥95%	23513-08-8	C ₁₉ H ₃₀ O ₄	322.44	(5S)-5-hydroxy-1-(4-hydroxy-3-methoxyphenyl)dodecan-3-one
SG0010	10-薑酚	10-Gingerol	≥95%	23513-15-7	C ₂₁ H ₃₄ O ₄	350.50	(5S)-5-hydroxy-1-(4-hydroxy-3-methoxyphenyl)tetradecan-3-one
SG0011	銀杏內酯A	Ginkgolide A	≥98%	15291-75-5	C ₂₀ H ₂₄ O ₉	408.40	
SG0012	銀杏內酯B	Ginkgolide B	≥98%	15291-77-7	C ₂₀ H ₂₄ O ₁₀	424.40	
SG0013	銀杏內酯C	Ginkgolide C	≥98%	15291-76-6	C ₂₀ H ₂₄ O ₁₁	440.40	
SG0014	人參皂苷Rb1	Ginsenoside Rb1	≥98%	41753-43-9	C ₅₄ H ₉₂ O ₂₃	1109.29	(2S,3R,4S,5S,6R)-2-[2-[(3S,5R,8R,9R,10R,12R,13R,14R,17S)-3-[(2R,3R,4S,5S,6R)-4,5-dihydroxy-6-(hydroxymethyl)-3-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyoxan-2-yl]oxy-12-hydroxy-4,4,8,10,14-pentamethyl-2,3,5,6,7,9,11,12,13,15,16,17-dodecahydro-1H-cyclopenta[a]phenanthren-17-yl]-6-methylhept-5-en-2-yl]oxy-6-[[[(3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxymethyl]oxane-3,4,5-triol
SG0015	人參皂苷Rd	Ginsenoside Rd	≥98%	52705-93-8	C ₄₈ H ₈₂ O ₁₈	947.15	(2S,3R,4S,5S,6R)-2-[(2S)-2-[(10R,12S,13S,14R,17S)-3-[(2R,3R,4S,5S,6R)-4,5-dihydroxy-6-(hydroxymethyl)-3-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyoxan-2-yl]oxy-12-hydroxy-4,4,10,14-tetramethyl-1,2,3,5,6,7,8,9,11,12,13,15,16,17-tetradecahydrocyclopenta[a]phenanthren-17-yl]-4,6-dimethylhept-5-en-2-yl]oxy-6-(hydroxymethyl)oxane-3,4,5-triol

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SG0016	人參皂苷Re	Ginsenoside Re	≥98%	52286-59-6	C ₄₈ H ₈₂ O ₁₈	947.15	2S,3R,5S,6R)-2-[(2S)-2-[(3S,5R,6S,8R,10R,12R,13S,14R,17S)-6-[(2R,3R,4S,5S,6R)-4,5-dihydroxy-6-(hydroxymethyl)-3-[(2S,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxyoxan-2-yl]oxy-3,12-dihydroxy-4,4,8,10,14-pentamethyl-2,3,5,6,7,9,11,12,13,15,16,17-dodecahydro-1H-cyclopenta[a]phenanthren-17-yl]-6-methylhept-5-en-2-yl]oxy-6-(hydroxymethyl)oxane-3,4,5-triol
SG0017	人參皂苷Rg1	Ginsenoside Rg1	≥98%	22427-39-0	C ₄₂ H ₇₂ O ₁₄	801.01	2-[[[3,12-dihydroxy-4,4,7,10,14-pentamethyl-17-[6-methyl-2-[3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyhept-5-en-2-yl]-1,2,3,5,6,7,8,9,11,12,13,15,16,17-tetradecahydrocyclopenta[a]phenanthren-6-yl]oxy]-6-(hydroxymethyl)oxane-3,4,5-triol
SG0018	人參皂苷Ro	Ginsenoside Ro	≥97%	34367-04-9	C ₄₈ H ₇₆ O ₁₉	957.11	(2S,3S,4S,5R,6R)-6-[[[(6aR,6bS,8aS,12aR,14bR)-4,4,6a,6b,11,11,14b-heptamethyl-8a-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxycarbonyl-1,2,3,4a,5,6,7,8,9,10,12,12a,14,14a-tetradecahydrocyclopenten-3-yl]oxy]-3,4-dihydroxy-5-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyoxane-2-carboxylic acid
SG0019	人參皂苷Rb3	Ginsenoside Rb3	≥98%	68406-26-8	C ₅₃ H ₉₀ O ₂₂	1079.27	(2S,3R,4R,5S,6R)-2-[(E,2R)-2-[(10R,12S,14R)-3-[(2R,3R,4S,5S,6R)-4,5-dihydroxy-6-(hydroxymethyl)-3-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyoxan-2-yl]oxy-12-hydroxy-4,4,10,14-tetramethyl-1,2,3,5,6,7,8,9,11,12,13,15,16,17-tetradecahydrocyclopenta[a]phenanthren-17-yl]-6-methyloct-5-en-2-yl]oxy-6-[[[(2S,3R,4S,5R)-3,4,5-trihydroxyoxan-2-yl]oxymethyl]oxane-3,4,5-triol
SG0020	人參皂苷Rf	Ginsenoside Rf	≥98%	52286-59-5	C ₄₂ H ₇₂ O ₁₄	801.01	(2S,3R,4S,5S,6R)-2-[(2R,3R,4S,5S,6R)-2-[[[(6R,10R,12S,13S,14R,17S)-3,12-dihydroxy-17-[(E,2S)-2-hydroxy-6-methyloct-5-en-2-yl]-4,4,10,14-tetramethyl-1,2,3,5,6,7,8,9,11,12,13,15,16,17-tetradecahydrocyclopenta[a]phenanthren-6-yl]oxy]-4,5-dihydroxy-6-(hydroxymethyl)oxan-3-yl]oxy-6-(hydroxymethyl)oxane-3,4,5-triol
SG0021	人參皂苷Rg3	Ginsenoside Rg3	≥98%	14197-60-5	C ₄₂ H ₇₂ O ₁₃	785.01	(2R,3S,4S,5R,6R)-5-[(2S,3R,4S,5S,6R)-3,5-dihydroxy-4,6-bis(hydroxymethyl)oxan-2-yl]oxy-6-[[[(10R,12S,13R,14R,17R)-12-hydroxy-17-[(2S)-2-hydroxy-6-methylhept-5-en-2-yl]-4,4,10,14-tetramethyl-1,2,3,5,6,7,8,9,11,12,13,15,16,17-tetradecahydrocyclopenta[a]phenanthren-3-yl]oxy]-2-(hydroxymethyl)oxane-3,4-diol
SG0022	S-人參皂苷-RH2	S-Ginsenoside RH2	≥98%	78214-33-2	C ₃₆ H ₆₂ O ₈	622.87	(2R,3R,4S,5S,6R)-2-[[[(3S,5R,8R,9R,10R,12R,13R,14R,17S)-12-hydroxy-17-[(2S)-2-hydroxy-6-methylhept-5-en-2-yl]-4,4,8,10,14-pentamethyl-2,3,5,6,7,9,11,12,13,15,16,17-dodecahydro-1H-cyclopenta[a]phenanthren-3-yl]oxy]-6-(hydroxymethyl)oxane-3,4,5-triol
SG0023	光甘草定	Glabridin	≥98%	59870-68-7	C ₂₀ H ₂₀ O ₄	324.37	4-[(3R)-8,8-dimethyl-3,4-dihydro-2H-pyrano[2,3-f]chromen-3-yl]benzene-1,3-diol

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SG0024	黃豆黃素	Glycitein	≥98%	40957-83-3	C ₁₆ H ₁₂ O ₅	284.26	7-hydroxy-3-(4-hydroxyphenyl)-6-methoxychromen-4-one
SG0025	黃豆黃苷	Glycitin	≥98%	40246-10-4	C ₂₂ H ₂₂ O ₁₀	446.40	3-(4-hydroxyphenyl)-6-methoxy-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxychromen-4-one
SG0026	甘草次酸	Glycyrrhetic Acid	≥98%	1449-05-4	C ₃₀ H ₄₆ O ₄	470.68	10-hydroxy-2,4a,6a,6b,9,9,12a-heptamethyl-13-oxo-3,4,5,6,6a,7,8,8a,10,11,12,14b-dodecahydro-1H-picene-2-carboxylic acid
SG0027	甘草酸	Glycyrrhizic Acid	≥98%	1405-86-3	C ₄₂ H ₆₂ O ₁₆	822.93	(2S,3S,4S,5R,6S)-6-[[[(3S,4aR,6aR,6bS,8aS,11S,12aR,14aR,14bS)-11-carboxy-4,4,6a,6b,8a,11,14b-heptamethyl-14-oxo-2,3,4a,5,6,7,8,9,10,12,12a,14a-dodecahydro-1H-picen-3-yl]oxy]-5-[(2R,3R,4S,5S,6S)-6-carboxy-3,4,5-trihydroxyoxan-2-yl]oxy-3,4-dihydroxyoxane-2-carboxylic acid
SH0001	哈巴俄苷	Harpagoside	≥98%	19210-12-9	C ₂₄ H ₃₀ O ₁₁	494.49	[[[(1S,4aS,5R,7S,7aS)-4a,5-dihydroxy-7-methyl-1-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-1,5,6,7a-tetrahydrocyclopenta[c]pyran-7-yl] (E)-3-phenylprop-2-enoate
SH0002	長春藤皂苷元	Hederagenin	≥98%	465-99-6	C ₃₀ H ₄₈ O ₄	472.70	(4aS,6aR,6aS,6bR,8aR,9R,10S,12aR,14bS)-10-hydroxy-9-(hydroxymethyl)-2,2,6a,6b,9,12a-hexamethyl-1,3,4,5,6,6a,7,8,8a,10,11,12,13,14b-tetradecahydronicene-4a-carboxylic acid
SH0003	橙皮苷	Hesperidin	≥97%	520-26-3	C ₂₈ H ₃₄ O ₁₅	610.56	(2S)-5-hydroxy-2-(3-hydroxy-4-methoxyphenyl)-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-[[[(2R,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxymethyl]oxan-2-yl]oxy-2,3-dihydrochromen-4-one
SH0004	橙皮素	Hesperitin	≥98%	520-33-2	C ₁₆ H ₁₄ O ₆	302.28	(2S)-5,7-dihydroxy-2-(3-hydroxy-4-methoxyphenyl)-2,3-dihydrochromen-4-one
SH0005	和厚朴酚	Honokiol	>98%	35354-74-6	C ₁₈ H ₁₈ O ₂	266.33	2-(4-hydroxy-3-prop-2-enylphenyl)-4-prop-2-enylphenol
SH0006	石杉鹼甲	Huperzine A	>98%	102518-79-6	C ₁₅ H ₁₈ N ₂ O	242.32	(1R,9S,13E)-1-Amino-13-ethylidene-11-methyl-6-azatricyclo[7.3.1.0 ^{2,7}]trideca-2(7),3,10-trien-5-one
SH0007	羥基紅花黃色素 A	Hydroxysafflor yellow A	≥98%	78281-02-4	C ₂₇ H ₃₂ O ₁₆	612.53	(6E)-2,5-dihydroxy-6-[(E)-1-hydroxy-3-(4-hydroxyphenyl)prop-2-enylidene]-2,4-bis[(2R,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]cyclohex-4-ene-1,3-dione
SH0008	10-羥基喜樹鹼	10-Hydroxycamptothecin	≥98%	64439-81-2	C ₂₀ H ₁₆ N ₂ O ₅	392.31	

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SH0009	金絲桃苷	Hyperoside	≥98%	482-36-0	C ₂₁ H ₂₀ O ₁₂	464.38	2-(3,4-dihydroxyphenyl)-3-[(3R,4S,5R,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-4H-chromene-4,5,7-triol
SI0001	淫羊藿苷	Icariin	≥98%	489-32-7	C ₃₃ H ₄₀ O ₁₅	676.66	5-hydroxy-2-(4-methoxyphenyl)-8-(3-methylbut-2-enyl)-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-3-[(2S,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxychromen-4-one
SI0002	歐前胡素	Imperatorin	≥98%	482-44-0	C ₁₆ H ₁₄ O ₄	270.30	IUPAC: 9-(3-methylbut-2-enoxy)furo[3,2-g]chromen-7-one
SI0003	次野薑尾黃素	Irisfloreutin	≥98%	41743-73-1	C ₂₀ H ₁₈ O ₈	386.35	9-methoxy-7-(3,4,5-trimethoxyphenyl)-[1,3]dioxolo[4,5-g]chromen-8-one
SI0004	異土木香內酯	Isoalantolactone	≥98%	470-17-7	C ₁₅ H ₂₀ O ₂	232.32	(3aR,4aS,8aR,9aR)-8a-methyl-3,5-dimethylidene-3a,4,4a,6,7,8,9,9a-octahydrobenzo[f][1]benzofuran-2-one
SI0005	補骨脂乙素	Isobavachalcone	≥98%	20784-50-3	C ₂₀ H ₂₀ O ₄	324.37	(E)-1-[2,4-dihydroxy-3-(3-methylbut-2-enyl)phenyl]-3-(4-hydroxyphenyl)prop-2-en-1-one
SI0006	異綠原酸A	Isochlorogenic Acid A	≥98%	2450-53-5	C ₂₅ H ₂₄ O ₁₂	516.45	
SI0007	異綠原酸B	Isochlorogenic Acid B	≥98%	14534-61-3	C ₂₅ H ₂₄ O ₁₂	516.45	(1S,3R,4R,5R)-3,4-bis[[E]-3-(3,4-dihydroxyphenyl)prop-2-enoyl]oxy]-1,5-dihydroxycyclohexane-1-carboxylic acid
SI0008	異綠原酸C	Isochlorogenic Acid C	≥98%	32451-88-0	C ₂₅ H ₂₄ O ₁₂	516.46	(1R,3R,4S,5R)-3,4-bis[[E]-3-(3,4-dihydroxyphenyl)prop-2-enoyl]oxy]-1,5-dihydroxycyclohexane-1-carboxylic acid
SI0009	異歐前胡素	Isoimperatorin	≥98%	482-45-1	C ₁₆ H ₁₄ O ₄	270.28	4-(3-methylbut-2-enoxy)furo[3,2-g]chromen-7-one
SI0010	異蓮心鹼	Isoliensinine	≥98%	6817-41-0	C ₃₇ H ₄₂ N ₂ O ₆	610.74	(1R)-1-[[[4-hydroxy-3-[[[(1R)-6-methoxy-1-[(4-methoxyphenyl)methyl]-2-methyl-3,4-dihydro-1H-isoquinolin-7-yl]oxy]phenyl]methyl]-6-methoxy-2-methyl-3,4-dihydro-1H-isoquinolin-7-ol
SI0011	異甘草素	Isoliquiritigenin	≥98%	961-29-5	C ₁₅ H ₁₂ O ₄	256.25	(E)-1-(2,4-dihydroxyphenyl)-3-(4-hydroxyphenyl)prop-2-en-1-one

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SI0012	異甘草苷	Isoliquiritin	≥98%	5041-81-6	C ₂₁ H ₂₂ O ₉	418.39	(E)-1-(2,4-dihydroxyphenyl)-3-[4-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyphenyl]prop-2-en-1-one
SI0013	異補骨脂素	Isopsoralen	≥98%	523-50-2	C ₁₁ H ₆ O ₃	186.16	furo[2,3-h]chromen-2-one
SI0014	異鼠李素	Isorhamnetin	≥98%	480-19-3	C ₁₆ H ₁₂ O ₇	316.26	3,5,7-trihydroxy-2-(4-hydroxy-3-methoxyphenyl)chromen-4-one
SJ0001	酸棗仁皂苷A	Jujuboside A	≥98%	55466-04-1	C ₅₈ H ₉₄ O ₂₆	1207.35	
SJ0002	酸棗仁皂苷B	Jujuboside B	≥98%	55466-05-2	C ₅₂ H ₈₄ O ₂₁	1045.21	
SK0001	山奈酚	Kaempferol	≥98%	520-18-3	C ₁₅ H ₁₀ O ₆	286.24	3,5,7-trihydroxy-2-(4-hydroxyphenyl)chromen-4-one
SL0001	歐當歸內酯 A	Levistilide A	≥97%	88182-33-6			
SL0002	甘草查爾酮A	Licochalcone A	≥98%	58749-22-7	C ₂₁ H ₂₂ O ₄	338.40	(E)-3-[4-hydroxy-2-methoxy-5-(2-methylbut-3-en-2-yl)phenyl]-1-(4-hydroxyphenyl)prop-2-en-1-one
SL0003	蓮心鹼	Liensinine	≥98%	2586-96-1	C ₃₇ H ₄₂ N ₂ O ₆	610.74	4-[[[(1R)-6,7-dimethoxy-2-methyl-3,4-dihydro-1H-isoquinolin-1-yl]methyl]-2-[[[(1R)-1-(4-hydroxyphenyl)methyl]-6-methoxy-2-methyl-3,4-dihydro-1H-isoquinolin-7-yl]oxy]phenol
SL0004	蓮心鹼高氯酸鹽	Liensinine diperchlorate	≥98%	508-90-4			
SL0005	藜本內酯	Ligustilide	≥95%	4431-01-0	C ₁₂ H ₁₄ O ₂	190.24	(3Z)-3-butylidene-4,5-dihydro-2-benzofuran-1-one
SL0006	磷酸川芎嗪	Ligustrazine Phosphate	≥98%	97747-88-1	C ₂₉ H ₃₇ NO ₃	447.61	(11R,17R)-11-[4-(dimethylamino)phenyl]-17-hydroxy-17-[(Z)-3-hydroxyprop-1-enyl]-13-methyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[a]phenanthren-3-one

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SL0007	蒙花苷	Linarin	≥98%	480-36-4	C ₂₈ H ₃₂ O ₁₄	592.55	5-hydroxy-2-(4-methoxyphenyl)-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-[[[(2R,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxymethyl]oxan-2-yl]oxychromen-4-one
SL0008	甘草苷	Liquiritin	≥98%	551-15-5	C ₂₁ H ₂₂ O ₉	418.39	(2S)-7-hydroxy-2-[4-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyphenyl]-2,3-dihydrochromen-4-one
SL0006	甘草素/甘草醇	Liquiritigenin	≥98%	578-86-9	C ₁₅ H ₁₂ O ₄	256.25	(2S)-7-hydroxy-2-(4-hydroxyphenyl)-2,3-dihydrochromen-4-one
SL0007	檸檬苦素	Lemonoate	≥98%	1180-71-8	C ₂₆ H ₃₀ O ₈	470.52	
SL0008	馬錢酸	Loganic acid	≥98%	22255-40-9	C ₁₆ H ₂₄ O ₁₀	376.36	(1S,4aS,6S,7R,7aS)-6-hydroxy-7-methyl-1-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-1,4a,5,6,7,7a-hexahydrocyclopenta[c]pyran-4-carboxylic acid
SL0009	馬錢鹼 / 番木鱉鹼	Loganin	≥98%	18524-94-2	C ₁₇ H ₂₆ O ₁₀	390.38	methyl (1S,4aS,6S,7R,7aS)-6-hydroxy-7-methyl-1-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-1,4a,5,6,7,7a-hexahydrocyclopenta[c]pyran-4-carboxylate
SL0010	左旋四氫巴馬汀	l-tetrahydropalmatine	≥98%	483-14-7	C ₂₁ H ₂₅ NO ₄	355.43	(13aS)-2,3,9,10-tetramethoxy-6,8,13,13a-tetrahydro-5H-isoquinolino[2,1-b]isoquinoline
SL0011	羽扇豆醇	Lupeol	≥98%	545-47-1	C ₃₀ H ₅₀ O	426.72	(1R,3aR,5aR,5bR,7aR,9S,11aR,11bR,13aR,13bR)-3a,5a,5b,8,8,11a-hexamethyl-1-prop-1-en-2-yl-1,2,3,4,5,6,7,7a,9,10,11,11b,12,13,13a,13b-hexadecahydrocyclopenta[a]chrysen-9-ol
SM0001	灰鱧毛忍冬皂苷乙	Macranthoidin B	≥98%	136849-88-2	C ₆₅ H ₁₀ O ₃₂	1399.52	[[[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-[[[(2R,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxymethyl]oxan-2-yl] (4aS,6aR,6aS,6bR,12aR,14bR)-10-[(2S,3R,4S,5S)-4,5-bis[[[(2R,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy]-3-[(2S,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxyoxan-2-yl]oxy-9-(hydroxymethyl)-2,2,6a,6b,9,12a-hexamethyl-1,3,4,5,6,6a,7,8,8a,10,11,12,13,14b-tetradecahydrocyclopenta[a]chrysen-9-ol
SM0002	羥基積雪草酸	Madecassic Acid	>98%	18449-41-7	C ₃₀ H ₄₈ O	504.70	8,10,11-trihydroxy-9-(hydroxymethyl)-1,2,6a,6b,9,12a-hexamethyl-2,3,4,5,6,6a,7,8,8a,10,11,12,13,14b-tetradecahydro-1H-picene-4a-carboxylic acid
SM0003	羥基積雪草苷	Madecassoside	≥98%	34540-22-2	C ₄₈ H ₇₈ O ₂₀	975.12	[6-[[[3,4-dihydroxy-6-(hydroxymethyl)-5-(3,4,5-trihydroxy-6-methyloxan-2-yl)oxyoxan-2-yl]oxymethyl]-3,4,5-trihydroxyoxan-2-yl] 8,10,11-trihydroxy-9-(hydroxymethyl)-1,2,6a,6b,9,12a-hexamethyl-2,3,4,5,6,6a,7,8,8a,10,11,12,13,14b-tetradecahydro-1H-picene-4a-carboxylate

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SM0004	木蘭花鹼	Magnoflorine	≥98%	2141-09-5	C ₂₀ H ₂₄ NO ₄ ⁺	342.41	
SM0005	碘化木蘭花鹼	Magnoflorine iodide	≥98%	4277-43-4	C ₂₀ H ₂₄ INO ₄	469.31	
SM0006	厚朴酚	Magnolol	≥98%	528-43-8	C ₁₈ H ₁₈ O ₂	266.36	4-Allyl-2-(5-allyl-2-hydroxy-phenyl)phenol
SM0007	芒果苷	Mangiferin	≥98%	4773-96-0	C ₁₉ H ₁₈ O ₁₁	422.34	1,3,6,7-tetrahydroxy-2-[(2S,3R,4R,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]xanthen-9-one
SM0008	苦參鹼	Matrine	≥98%	519-02-8	C ₁₅ H ₂₄ N ₂ O	248.36	
SM0009	中烏頭鹼	Mesaconitine	≥98%	2752-64-9	C ₃₃ H ₄₅ NO ₁₁	631.71	
SM0010	花椒毒素/8-甲氧基補骨脂素	Methoxsalen	≥98%	298-81-7	C ₁₂ H ₈ O ₄	216.19	9-methoxyfuro[3,2-g]chromen-7-one
SM0011	羅漢果皂苷 V	Mogroside V	≥98%	88901-36-4			
SM0012	甘草酸單銨	Monoammonium Glycyrrhizinate	>98%	53956-04-0	C ₄₂ H ₆₅ NO ₁₆	839.96	(2S,3S,4S,5R,6S)-6-[[[(3S,4aR,6aR,6bS,8aS,11S,12aR,14aR,14bS)-11-carboxy-4,4,6a,6b,8a,11,14b-heptamethyl-14-oxo-2,3,4a,5,6,7,8,9,10,12,12a,14a-dodecahydro-1H-picen-3-yl]oxy]-5-[(2R,3R,4S,5S,6S)-6-carboxy-3,4,5-trihydroxyoxan-2-yl]oxy-3,4-dihydroxoxane-2-carboxylic acid
SM0013	桑色素	Morin	≥98%	64809-67-2	C ₂₅ H ₂₈ O ₁₆	584.48	
SM0014	桑皮苷 A	Mulberroside A	≥98%	102841-42-9	C ₂₆ H ₃₂ O ₁₄	568.52	(2S,3R,4S,5S,6R)-2-[3-hydroxy-4-[(E)-2-[3-hydroxy-5-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyphenyl]ethenyl]phenoxy]-6-(hydroxymethyl)oxane-3,4,5-triol
SM0015	楊梅素	Myricetin	≥98%	529-44-2	C ₁₅ H ₁₀ O ₈	318.24	3,5,7-trihydroxy-2-(3,4,5-trihydroxyphenyl)chromen-4-one

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SN0001	柚皮苷	Naringin	>98%	10236-47-2	C ₂₇ H ₃₂ O ₁₄	580.53	(2S)-7-[(2S,3R,4S,5S,6R)-4,5-dihydroxy-6-(hydroxymethyl)-3-[(2S,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxyoxan-2-yl]oxy-5-hydroxy-2-(4-hydroxyphenyl)-2,3-dihydrochromen-4-one
SN0002	芸香柚皮苷	Narirutin	≥98%	14529-46-2	C ₂₇ H ₃₂ O ₁₄	580.53	(2S)-5-hydroxy-2-(4-hydroxyphenyl)-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-[[[(2R,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxymethyl]oxan-2-yl]oxy-2,3-dihydrochromen-4-one
SN0003	甲基蓮心鹼	Neferine	≥98%	2292-16-2	C ₃₈ H ₄₄ N ₂ O ₆	624.77	4-[[[(1R)-6,7-dimethoxy-2-methyl-3,4-dihydro-1H-isoquinolin-1-yl]methyl]-2-[[[(1R)-6-methoxy-1-[(4-methoxyphenyl)methyl]-2-methyl-3,4-dihydro-1H-isoquinolin-7-yl]oxy]phenol
SN0004	新穿心蓮內酯	Neoandrographolide	≥98%	27215-14-1	C ₂₆ H ₄₀ O ₈	480.59	4-[2-[(4aS,5R,8aS)-5,8a-dimethyl-2-methylidene-5-[[[(2R,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxymethyl]-3,4,4a,6,7,8-hexahydro-1H-naphthalen-1-yl]ethyl]-2H-furan-5-one
SN0005	新綠原酸	Neochlorogenic acid	≥98%	906-33-2	C ₁₆ H ₁₈ O ₉	354.31	(1R,3R,4S,5R)-3-(E)-3-(3,4-dihydroxyphenyl)prop-2-enoyl]oxy-1,4,5-trihydroxycyclohexane-1-carboxylic acid
SN0006	新橙皮苷	Neohesperidin	>98%	13241-33-3	C ₂₈ H ₃₄ O ₁₅	610.56	(2S)-7-[(2S,3R,4S,5S,6R)-4,5-dihydroxy-6-(hydroxymethyl)-3-[(2R,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxyoxan-2-yl]oxy-5-hydroxy-2-(3-hydroxy-4-methoxyphenyl)-2,3-dihydrochromen-4-one
SN0007	異甘草苷	Neoisoliquiritin	≥98%	7014-39-3	C ₂₁ H ₂₂ O ₉	418.39	(E)-3-(4-hydroxyphenyl)-1-[2-hydroxy-4-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyphenyl]prop-2-en-1-one
SN0008	新芒果苷	Neomangiferin	≥98%	64809-67-2	C ₂₅ H ₂₈ O ₁₆	584.48	1,3,6-trihydroxy-2-[(2S,3R,4R,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]-7-[[[(2S,3R,4R,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyxanthan-9-one
SN0009	氯化兩面針鹼	Nitidine Chloride	≥98%	13063-04-2	C ₂₁ H ₁₈ ClNO ₄	383.82	2,3-dimethoxy-12-methyl-[1,3]benzodioxolo[5,6-c]phenanthridin-12-ium chloride
SN0010	川陳皮素	Nobiletin	≥98%	478-01-3	C ₂₁ H ₂₂ O ₈	402.39	2-(3,4-dimethoxyphenyl)-5,6,7,8-tetramethoxychromen-4-one
SN0011	諾米林	Nomilin	≥98%	1063-77-0	C ₂₈ H ₃₄ O ₉	514.56	
SN0012	三七皂苷R1	Notoginsenoside R1	≥98%	80418-24-2	C ₄₇ H ₈₀ O ₁₈	933.13	(2S,3R,4S,5S,6R)-2-[(2S)-2-[(3S,5R,6S,8R,9R,10R,12R,13R,14R,17S)-6-[(2R,3R,4S,5S,6R)-4,5-dihydroxy-6-(hydroxymethyl)-3-[(2S,3R,4S,5R)-3,4,5-trihydroxyoxan-2-yl]oxyoxan-2-yl]oxy-3,12-dihydroxy-4,4,8,10,14-pentamethyl-2,3,5,6,7,9,11,12,13,15,16,17-dodecahydro-1H-cyclopenta[a]phenanthren-17-yl]-6-methylhept-5-en-2-yl]oxy-6-(hydroxymethyl)oxane-3,4,5-triol

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SO0001	芒柄花苷	Ononin	≥98%	486-62-4	C ₂₂ H ₂₂ O ₉	430.40	3-(4-methoxyphenyl)-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxochromen-4-one
SO0002	冬凌草甲素	Oridonin	≥98%	28957-04-2	C ₂₀ H ₂₈ O ₆	364.43	
SO0004	蛇床子素	Osthole	≥98%	484-12-8	C ₁₅ H ₁₆ O ₃	244.29	7-methoxy-8-(3-methylbut-2-enyl)chromen-2-one
SO0005	氧化芍藥苷	Oxypaeoniflorin	≥98%	39011-91-1	C ₂₃ H ₂₈ O ₁₂	496.46	
SO0006	氧化苦參鹼	Oxymatrine	≥98%	16837-52-8	C ₁₅ H ₂₄ N ₂ O ₂	264.36	
SP0001	茯苓酸	Pachymic Acid	≥98%	29070-92-6	C ₃₃ H ₅₂ O ₅	528.76	(2R)-2-[(3S,5R,10S,13R,14R,16R,17R)-3-acetyloxy-16-hydroxy-4,4,10,13,14-pentamethyl-2,3,5,6,7,11,12,15,16,17-decahydro-1H-cyclopenta[a]phenanthren-17-yl]-6-methyl-5-methylideneheptanoic acid
SP0002	芍藥苷	Paeoniflorin	≥98%	23180-57-6	C ₂₃ H ₂₈ O ₁₁	480.46	
SP0003	丹皮酚	Paeonol	≥98%	552-41-0	C ₉ H ₁₀ O ₃	166.17	1-(2-hydroxy-4-methoxyphenyl)ethanone
SP0004	棕櫚酸	Palmitic	≥98%	1957-10-3	C ₁₆ H ₃₂ O ₂	256.42	hexadecanoic acid
SP0005	黃藤素	Palmatin	≥98%	3486-67-7	C ₂₁ H ₂₂ NO ₄ +	352.40	2,3,9,10-tetramethoxy-5,6-dihydroisoquinolino[2,1-b]isoquinolin-7-ium
SP0006	百秋里醇	Patchouli Alcohol	≥98%	5986-55-0	C ₁₅ H ₂₆ O	222.37	
SP0007	貝母甲素	Peimine	≥98%	23496-41-5	C ₂₇ H ₄₅ NO ₃	431.65	

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SP0008	貝母乙素	Peiminine	≥98%	18059-10-4	C ₂₇ H ₄₃ NO ₃	429.64	
SP0009	杠柳毒苷	Periplocin	≥98%	514-39-6	C ₃₆ H ₅₆ O ₁₃	696.82	3-[(3S,5S,10R,13R,14S,17R)-3-[(2R,5R)-6-[(3R,6S)-4,6-dihydroxy-2-methyloxan-3-yl]oxymethyl]-3,5-dihydroxy-4-methoxyoxan-2-yl]oxy-5,14-dihydroxy-10,13-dimethyl-2,3,4,6,7,8,9,11,12,15,16,17-dodecahydro-1H-cyclopenta[a]phenanthren-17-yl]-2H-furan-5-one
SP0010	大黃素甲醚	Physcion	≥98%	521-61-9	C ₁₆ H ₁₂ O ₅	284.26	1,8-dihydroxy-3-methoxy-6-methylanthracene-9,10-dione
SP0011	胡黃連皂苷 I	Picroside I	≥98%	27409-30-9	C ₂₄ H ₂₈ O ₁₁	492.47	
SP0012	胡黃連皂苷 II	Picroside II	≥98%	39012-20-9	C ₂₃ H ₂₈ O ₁₃	512.46	
SP0013	胡椒鹼	Piperine	≥98%	94-62-2	C ₁₇ H ₁₉ NO ₃	285.34	(2E,4E)-5-(1,3-benzodioxol-5-yl)-1-piperidin-1-ylpenta-2,4-dien-1-one
SP0014	大車前苷	Plantamajoside	≥98%	104777-68-6	C ₂₉ H ₃₆ O ₁₆	640.59	[(2R,3R,4R,5R,6R)-6-[2-(3,4-dihydroxyphenyl)ethoxy]-5-hydroxy-2-(hydroxymethyl)-4-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyoxan-3-yl](E)-3-(3,4-dihydroxyphenyl)prop-2-enoate
SP0015	鬼臼毒素	Podophyllotoxin	≥98%	518-28-56	C ₂₂ H ₂₂ O ₈	414.41	(5R,5aR,8aR,9R)-5-hydroxy-9-(3,4,5-trimethoxyphenyl)-5a,6,8a,9-tetrahydro-5H-[2]benzofuro[5,6-f][1,3]benzodioxol-8-one
SP0016	虎杖苷	Polydatin	≥98%	27208-80-6	C ₂₀ H ₂₂ O ₈	390.38	(2S,3R,4S,5S,6R)-2-[3-hydroxy-5-[(E)-2-(4-hydroxyphenyl)ethenyl]phenoxy]-6-(hydroxymethyl)oxane-3,4,5-triol
SP0017	白花前胡丙素	Praeruptorin C	≥98%	72463-77-5	C ₂₀ H ₂₀ O ₇	372.37	[(9S,10S)-10-acetyloxy-8,8-dimethyl-2-oxo-9,10-dihydropyrano[2,3-f]chromen-9-yl] (E)-but-2-enoate
SP0018	白花前胡甲素	Praeruptorin A	≥98%	73069-25-7	C ₂₀ H ₂₂ O ₅	342.39	[9-[(Z)-but-2-enyl]-8,8-dimethyl-2-oxo-9,10-dihydropyrano[2,3-f]chromen-10-yl] acetate
SP0019	白花前胡丙素	Praeruptorin C	≥98%	72463-77-5			

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SP0020	升麻素苷	Prim-O-Glucosylcimifugin	≥98%	80681-45-4	C ₂₂ H ₂₈ O ₁₁	468.45	2-(2-hydroxypropan-2-yl)-4-methoxy-7-[[[(2R,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxymethyl]-2,3-dihydrofuro[3,2-g]chromen-5-one
SP0021	原兒茶醛	Protocatechuic Aldehyde	≥98%	139-85-5	C ₇ H ₆ O ₃	138.12	3,4-dihydroxybenzaldehyde
SP0022	原兒茶酸	Protocatechuic acid	≥98%	99-50-3	C ₇ H ₆ O ₄	154.12	3,4-dihydroxybenzoic acid
SP0023	原薯蕷皂苷	Protodioscin	≥98%	55056-80-9	C ₅₁ H ₈₄ O ₂₂	1049.20	
SP0024	補骨脂素	Psoralen	≥98%	66-97-7	C ₁₁ H ₆ O ₃	186.16	furo[3,2-g]chromen-7-one
SP0025	補骨脂定	Psoralidin	≥98%	18642-23-4	C ₂₀ H ₁₆ O ₅	336.34	3,9-dihydroxy-2-(3-methylbut-2-enyl)-[1]benzofuro[3,2-c]chromen-6-one
SP0026	葛根素	Puerarin	≥98%	3681-99-0	C ₂₁ H ₂₀ O ₉	416.38	7-hydroxy-3-(4-hydroxyphenyl)-8-[(2S,3R,4R,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]chromen-4-one
SQ0001	青陽參苷元	Qingyangshengenin	≥98%	84745-94-8	C ₂₈ H ₃₆ O ₉	516.58	[(3S,8S,9R,10R,12R,13S,14R,17R)-17-acetyloxy-3,8,14,17-tetrahydroxy-10,13-dimethyl-1,2,3,4,7,9,11,12,15,16-decahydrocyclopenta[a]phenanthren-12-yl] 4-hydroxybenzoate
SQ0002	槲皮素	Quercetin	>98%	117-39-5	C ₁₅ H ₁₀ O ₇	302.24	2-(3,4-dihydroxyphenyl)-3,5,7-trihydroxychromen-4-one
SQ0003	槲皮苷	Quercitrin	>98%	208-322-5	C ₂₁ H ₂₀ O ₁₁	448.38	2-(3,4-dihydroxyphenyl)-5,7-dihydroxy-3-[(2S,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxychromen-4-one
SR0001	大黃酸	Rhein	≥98%	478-43-3	C ₁₅ H ₈ O ₆	284.22	4,5-dihydroxy-9,10-dioxanthracene-2-carboxylic acid
SR0002	白藜蘆醇	Resveratrol	≥98%	501-36-0	C ₁₄ H ₁₂ O ₃	228.24	5-[(E)-2-(4-hydroxyphenyl)ethenyl]benzene-1,3-diol

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SR0003	R-人參皂苷 Rh2	R-Ginsenoside Rh2	≥98%	112246-15-8			
SR0004	迷迭香酚	Rosmanol	≥98%	80225-53-2	C ₂₀ H ₂₆ O ₅	346.42	
SR0005	芸香苷 (蘆丁)	Rutin	≥98%	153-18-4	C ₂₇ H ₃₀ O ₁₆	610.52	2-(3,4-dihydroxyphenyl)-5,7-dihydroxy-3-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-[[[(2R,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxymethyl]oxan-2-yl]oxochromen-4-one
SR0006	冬凌草甲素	Rubescensin A	≥98%	28957-0-2	C ₂₀ H ₂₈ O ₆	364.43	
SR0007	吳茱萸次鹼	Rutaecarpine	≥98%	84-26-4	C ₁₈ H ₁₃ N ₃ O	287.32	
SS0001	柴胡皂苷A	Saikosaponin A	≥98%	20736-09-8	C ₄₂ H ₆₈ O ₁₃	780.98	
SS0002	紅景天苷	Salidroside	≥98%	10338-51-9	C ₁₄ H ₂₀ O ₇	300.30	(2R,3S,4S,5R,6R)-2-(hydroxymethyl)-6-[2-(4-hydroxyphenyl)ethoxy]oxane-3,4,5-triol
SS0003	丹參酚酸A	Salvianolic Acid A	≥98%	96574-01-5	C ₂₆ H ₂₂ O ₁₀	494.45	(2R)-3-(3,4-dihydroxyphenyl)-2-[(E)-3-[2-[(E)-2-(3,4-dihydroxyphenyl)ethenyl]-3,4-dihydroxyphenyl]prop-2-enoyl]oxypropanoic acid
SS0004	丹參酚酸B	Salvianolic Acid B	≥98%	115939-25-8	C ₃₆ H ₃₀ O ₁₆	718.61	3-(3,4-dihydroxyphenyl)-2-[(2R,3R)-2-(3,4-dihydroxyphenyl)-4-[(E)-3-[(2R)-3-(3,4-dihydroxyphenyl)-1-hydroxy-1-oxopropan-2-yl]oxy-3-oxoprop-1-enyl]-7-hydroxy-2,3-dihydro-1-benzofuran-3-carbonyl]oxypropanoic acid
SS0005	知母皂苷元	Sarsasapogenin	≥98%	126-19-2	C ₂₇ H ₄₄ O ₃	416.64	
SS0006	紫草素	Shikonin	≥98%	517-89-5	C ₁₆ H ₁₆ O ₅	288.30	5,8-dihydroxy-2-(1-hydroxy-4-methylpent-3-enyl)naphthalene-1,4-dione
SS0007	五味子甲素	Schisandrin A	≥98%	61281-38-7	C ₂₄ H ₃₂ O ₆	416.51	

穩特國際有限公司
HPLC中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SS0008	五味子乙素	Schisandrin B	≥98%	61281-37-6	C ₂₃ H ₂₈ O ₆	400.46	
SS0009	五味子醇甲	Schisandrol A (Schisandrin)	≥98%	7432-28-2	C ₂₄ H ₃₂ O ₇	432.56	
SS0010	野黃芩苷	Scutellarin	≥98%	27740-01-8	C ₂₁ H ₁₈ O ₁₂	462.36	(2S,3S,4S,5R,6S)-6-[5,6-dihydroxy-2-(4-hydroxyphenyl)-4-oxochromen-7-yl]oxy-3,4,5-trihydroxyoxane-2-carboxylic acid
SS0011	野黃芩素	Scutellarein	≥98%	529-53-3	C ₁₅ H ₁₀ O ₆	286.24	5,6,7-trihydroxy-2-(4-hydroxyphenyl)chromen-4-one
SS0012	瑟丹酸內酯	Sesanolide	≥98%	6415-59-4	C ₁₂ H ₁₈ O ₂	194.27	3-(2-methylpropyl)-3a,4,5,6-tetrahydro-3H-2-benzofuran-1-one
SS0013	洋川芎內酯A	Senkyunolide A	≥98%	63038-10-8	C ₁₂ H ₁₆ O ₂	192.25	(3S)-3-butyl-4,5-dihydro-3H-2-benzofuran-1-one
SS0014	番瀉苷A	Sennoside A	≥98%	81-27-6	C ₄₂ H ₃₈ O ₂₀	862.74	(9R)-9-[(9R)-2-carboxy-4-hydroxy-10-oxo-5-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-9H-anthracen-9-yl]-4-hydroxy-10-oxo-5-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-9H-anthracene-2-carboxylic acid
SS0015	番瀉苷B	Sennoside B	≥98%	128-57-4	C ₄₂ H ₃₈ O ₂₀	862.74	9S)-9-[(9R)-2-carboxy-4-hydroxy-10-oxo-5-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-9H-anthracen-9-yl]-4-hydroxy-10-oxo-5-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-9H-anthracene-2-carboxylic acid
SS0016	番瀉苷C	Sennoside C	>98%	37271-16-2	C ₄₂ H ₄₀ O ₁₉	848.76	4-hydroxy-9-[4-hydroxy-2-(hydroxymethyl)-10-oxo-5-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-9H-anthracen-9-yl]-10-oxo-5-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-9H-anthracene-2-carboxylic acid
SS0017	番瀉苷D	Sennoside D	≥98%	37271-17-3	C ₄₂ H ₄₀ O ₁₉	848.76	(9R)-4-hydroxy-9-[(9S)-4-hydroxy-2-(hydroxymethyl)-10-oxo-5-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-9H-anthracen-9-yl]-10-oxo-5-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-9H-anthracene-2-carboxylic acid
SS0018	山梔苷甲酯	Shanzhiside methyl ester	≥97%	64421-28-9	C ₁₇ H ₂₆ O ₁₁	406.38	methyl(1S,5R,7S)-5,7-dihydroxy-7-methyl-1-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-4a,5,6,7a-tetrahydro-1H-cyclopenta[c]pyran-4-carboxylate
SS0019	6-薑烯酚	6-Shogaol	≥98%	555-66-8	C ₁₇ H ₂₄ O ₃	276.37	(E)-1-(4-hydroxy-3-methoxyphenyl)dec-4-en-3-one

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SS0020	莽草酸	Shikimic Acid	≥98%	138-59-0	C ₇ H ₁₀ O ₅	174.15	(3R,4S,5R)-3,4,5-trihydroxycyclohexene-1-carboxylic acid
SS0021	水飛薊濱	Silybin	≥98%	65666-07-1	C ₂₅ H ₂₂ O ₁₀	482.44	(2R,3R)-3,5,7-trihydroxy-2-[(2S,3S)-2-(4-hydroxy-3-methoxyphenyl)-3-(hydroxymethyl)-2,3-dihydro-1,4-benzodioxin-7-yl]-2,3-dihydrochromen-4-one
SS0022	青藤鹼	Sinomenine	≥98%	115-53-7	C ₁₉ H ₂₃ NO ₄	329.39	
SS0023	鹽酸青藤鹼	Sinomenine Hydrochloride	≥98%	6080-33-7	C ₁₉ H ₂₄ ClNO ₄	365.85	
SS0024	丹參素鈉	Sodium Dahshensu	≥98%	67920-52-9	C ₉ H ₉ NaO ₅	220.16	Sodium 2-(3,4-dihydroxyphenyl)-2-hydroxypropanoic acid
SS0025	槐角苷	Sophoricoside	≥98%	152-95-4	C ₂₁ H ₂₀ O ₁₀	432.38	5,7-dihydroxy-3-[4-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyphenyl]chromen-4-one
SS0026	獐芽菜苦苷	Swertiamarin	≥98%	17388-39-5	C ₁₆ H ₂₂ O ₁₀	374.34	(3S,4R,4aR)-4-ethenyl-4a-hydroxy-3-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy-3,4,5,6-tetrahydropyrano[3,4-c]pyran-8-one
SS0027	紫丁香苷	Syringin	≥98%	118-34-3	C ₁₇ H ₂₄ O ₉	372.37	(2R,3S,4S,5R,6S)-2-(hydroxymethyl)-6-[4-[(E)-3-hydroxyprop-1-enyl]-2,6-dimethoxyphenoxy]oxane-3,4,5-triol
SS0028	辛弗林	Synephrine	≥98%	1994-7-5	C ₉ H ₁₃ NO ₂	167.21	4-[1-hydroxy-2-(methylamino)ethyl]phenol
ST0001	丹參酮 I	Tanshinone I	≥98%	568-73-0	C ₁₈ H ₁₂ O ₃	276.29	1,6-dimethylnaphtho[1,2-g][1]benzofuran-10,11-dione
ST0002	丹參酮 II A	Tanshinone II A	≥98%	568-72-9	C ₁₉ H ₁₈ O ₃	294.34	1,6,6-trimethyl-8,9-dihydro-7H-naphtho[1,2-g][1]benzofuran-10,11-dione
ST0003	射干苷	Tectoridin	≥98%	611-40-5	C ₂₂ H ₂₂ O ₁₁	462.40	5-hydroxy-3-(4-hydroxyphenyl)-6-methoxy-7-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxychromen-4-one

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

ST0004	延胡索乙素	Tetrahydropalmatine	≥98%	6024-85-7	C ₂₁ H ₂₆ ClNO ₄	391.89	2,3,9,10-tetramethoxy-5,6,7,8,13,13a-hexahydroisoquinolino[2,1-b]isoquinolin-7-ium chloride
ST0005	漢防己甲素	Tetrandrine	≥98%	518-34-3	C ₃₈ H ₄₂ N ₂ O ₆	622.75	
ST0006	延齡草苷	Trillin(Diosgenyl-β-D-glucopyranoside)	≥98%	14144-06-0	C ₃₃ H ₅₂ O ₈	576.76	
ST0007	劍麻皂苷元	Tigogenin	≥98%	77-60-1	C ₂₇ H ₄₄ O ₃	416.64	
ST0008	知母皂苷 A	Timosaponin A-III	≥98%	41059-79-4	C ₃₉ H ₆₄ O ₁₃	740.92	
ST0009	知母皂苷 B	Timosaponin B-II	≥98%	136656-07-0	C ₄₅ H ₇₆ O ₁₉	921.07	
ST0010	葫蘆巴鹼	Trigonelline	≥98%	6138-41-6	C ₇ H ₈ ClNO ₂	173.60	1-methylpyridin-1-ium-3-carboxylic acid chloride
ST0011	雷公藤甲素	Triptolide	≥98%	38748-32-2	C ₂₀ H ₂₄ O ₆	360.40	
ST0012	土貝母皂苷甲	Tubeimoside A	≥98%	102040-03-9	C ₆₃ H ₉₈ O ₂₉	1319.43	(3S)-5-[(3S,4R,5R,6S)-6-[(2R,3R,4S,5S,6R)-2-[[[(2S,3R,6aR,6bS,8aS,12aR,14aR,14bR)-2-hydroxy-8a-[(2S,3R,4S,5S)-5-hydroxy-3-[(2S,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyloxan-2-yl]oxy-4-[(2R,3R,4S,5R)-3,4,5-trihydroxyoxan-2-yl]oxyoxan-2-yl]oxycarbonyl-4,4,6a,6b,11,11,14b-heptamethyl-1,2,3,4a,5,6,9,10,12,12a,14,14a-dodecahydropicen-3-yl]oxy]-4,5-dihydroxy-6-(hydroxymethyl)oxan-3-yl]oxy-4,5-dihydroxyoxan-3-yl]oxy-3-hydroxy-3-methyl-5-oxopentanoic acid
ST0013	絡石苷	Tracheloside	≥98%	33464-71-0	C ₂₇ H ₃₄ O ₁₂	550.55	(3S,4S)-4-[(3,4-dimethoxyphenyl)methyl]-3-hydroxy-3-[[3-methoxy-4-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyphenyl]methyl]oxolan-2-one
ST0014	2,3,5,4'-四羥基二苯乙烯 2-O-β-D-葡萄糖苷	2,3,5,4'-Tetrahydroxystibene - 2-O-β-D-glucoside	≥98%	82373-94-2	C ₂₆ H ₃₂ O ₁₄	568.52	(2S,3R,4S,5S,6R)-2-[5-hydroxy-3-[(E)-2-(4-hydroxyphenyl)ethenyl]-2-[(2S,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxyphenoxy]-6-(hydroxymethyl)oxane-3,4,5-triol

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SU0001	傘形花內酯	Umbelliferone	≥98%	93-35-6	C ₉ H ₆ O ₃	162.14	7-hydroxychromen-2-one
SU0002	熊果酸	Ursolic Acid	≥98%	77-52-1	C ₃₀ H ₄₈ O ₃	456.70	1S,2R,4aS,6aR,6aS,6bR,8aR,10S,12aR,14bS)-10-hydroxy-1,2,6a,6b,9,9,12a-heptamethyl-2,3,4,5,6,6a,7,8,8a,10,11,12,13,14b-tetradecahydro-1H-picene-4a-carboxylic acid
SU0003	松蘿酸	Usinic acid	≥98%	7562-61-0	C ₁₈ H ₁₆ O ₇	344.32	(9bS)-2,6-diacetyl-7,9-dihydroxy-8,9b-dimethylbenzofuran-1,3-dione
SV0001	長春鹼	Vinblastine	≥98%	865-21-4	C ₄₆ H ₅₈ N ₄ O ₉	810.97	
SV0002	硫酸長春鹼	Vinblastine Sulfate	≥95%	143-67-9	C ₄₆ H ₆₀ N ₄ O ₁₃ S	909.05	
SV0003	文多靈	Vindoline	≥98%	2182-14-1	C ₂₅ H ₃₂ N ₂ O ₆	456.53	
SV0004	長春瑞濱	Vinorelbine	≥98%	71486-22-1	C ₄₅ H ₅₄ N ₄ O ₈	778.93	
SV0005	酒石酸長春瑞濱	Vinorelbine Ditartrate	≥98%	125317-39-7	C ₅₃ H ₆₆ N ₄ O ₂₀	1079.11	
SW0001	雷公藤內酯甲	Wilforlide	≥98%	84104-71-2	C ₃₀ H ₄₆ O ₃	454.68	
SW0002	雷公藤春鹼	Wilfortrine	≥98%	37239-48-8	C ₃₀ H ₄₆ O ₃	454.68	
SW0003	漢黃芩素	Wogonin	≥98%	632-85-9	C ₁₆ H ₁₂ O ₅	284.26	5,7-dihydroxy-8-methoxy-2-phenylchromen-4-one
SW0004	漢黃芩苷	Wogonoside	≥98%	51059-44-0	C ₂₂ H ₂₀ O ₁₁	460.39	(2S,3S,4S,5R,6S)-3,4,5-trihydroxy-6-(5-hydroxy-8-methoxy-4-oxo-2-phenylchromen-7-yl)oxyoxane-2-carboxylic acid

穩特國際有限公司
HPLC 中草藥對照標準品 - 06/30/2011 更新
Venter International Co., Ltd.
Reference Standard of Chinese Herbs - Updating on 06/30/2011

SX0001	花椒毒素/8-甲氧基補骨脂素	Xanthotoxin	≥98%	298-81-7	C ₁₂ H ₈ O ₄	216.19	9-methoxyfuro[3,2-g]chromen-7-one
SY0001	鹽酸育亨濱	Yohimbine Hydrochloride	≥98%	65-19-0	C ₂₁ H ₂₇ ClN ₂ O ₃	390.90	

標準品購買說明:

1. 購買標準品，請Email給我們，我們的信箱為 service@venterinternational.com
2. 若要購買者請在電子郵件中，給我們產品編號、CAS、英文通用名或IUPAC名，因為產品眾多，敬請配合。產品未有IUPAC名者尚未收錄於2010以前版本，將於2011年以後即將收錄。
3. 表列標準品工廠大都有現貨，但仍需和工廠確認，最小訂購量20mg。非表列產品皆為期貨。
4. 客製化商品一律為期貨交易，生產工期依生產難易度有所不同，最小訂購量為100 mg。
5. 正式報價單皆有付款方式說明。
6. 結構式的圖檔較大，恕不放上，但以上的標準品的結構式全部已被Medline的NCBI收錄，請上 <http://pubchem.ncbi.nlm.nih.gov/> 查詢，查詢為免費查詢請多加利用。
7. 聯繫人：張秉成先生，電話：02-27755679，傳真：02-7755690，電子郵件：philchang@venterinternational.com
8. 純度和穩定度：買主必須自己檢查訂購產品是否適用於預期目的。穩特國際有限公司所交付之產品符合目錄或標籤所述之規格。若有相異之處，則以標籤上之資訊是為準。目錄上所列之一般產品物質資料僅作為參考且並非作為對交付產品之品質的約束聲明。穩特國際有限公司對所提供之資料其正確性並無法律義務。使用者生產藥品、化妝品製備或食品製備時，應依循常用醫藥規範，GMP指導方針及適用法律、命令或其他法律條款此為買主之唯一責任。穩特國際有限公司對藥品、化妝品製備和食品製備交付之產品使用不負有法律責任。
9. 買主有義務於穩特國際有限公司交付產品立即抵達時進行檢驗任何缺陷或所交付產品之歧異，且不晚於收受產品15天以上。
10. 口述或第三方之客訴並非以約定形式構成通告而且無效。
11. 若是材料缺失或標題缺點，穩特國際有限公司可以補救缺失或交付一無缺點產品的方式選擇提供繼續履行義務。
12. 所有不便之處，敬請見諒。

Conditions of Sale:

1. If you would like to order reference standards, please mail to our email, service@venterinternational.com
2. When you buy reference standards, please mail code, CAS number, common name, and IUPAC name to us.
3. In the list of reference standards, our minimum order is 20mg with stock. If the list of reference standards is out of stock, we will quote future to you. The minimum order of each customized reference standard is 100 mg and quotation is future.
4. If you want to surf on structure formula, please link to <http://pubchem.ncbi.nlm.nih.gov/>
5. Sales : Phil Chang, Tel:+886-2-27755679, Fax:+886-2-27755690, email philchang@venterinternational.com
6. The purchaser must itself check whether the product ordered is suitable for the purposes intended.

The products delivered by Venter International Co., Ltd. correspond to the specifications as stated in the catalogue or on the label. If there are divergences, the information on the label is decisive. The specification relates only to the substances and values specified, and to pharmacopoeia data and information on E numbers. Statements with regard to suitability relate exclusively to the contractual condition of the products.

The values given are based on Venter International Co., Ltd.'s testing rules. The general product substance data listed in the catalogue is only for information and is not a binding statement as to the quality of the products delivered. Venter International Co., Ltd. is not liable for the accuracy of the data provided.

When producing pharmaceutical, cosmetic preparations or food preparations, compliance with usual medical requirements, GMP guidelines and applicable laws, orders and other provisions is the exclusive responsibility of the purchaser.

Venter International Co., Ltd. is not liable for use of the products delivered in pharmaceutical, cosmetic preparations and in food preparations unless the specific applic

7. The purchaser is obliged to examine the product delivered by Venter International Co., Ltd. immediately on arrival and to notify Venter International Co., Ltd. in writing immediately, no later than 15 days after receipt of the product, of any defects or divergences in the product delivered.
8. If there is material defect or a defect of title, Venter International Co., Ltd. may choose to provide subsequent performance by remedying the defect or delivering a product without defects.